

- [Home|Statistics](#)
- [About](#)
- [Bulletin](#)
- [Submit Documents](#)
- [Feedback](#)

[MetaCart](#) Sign in to [MyCiteSeerX](#)



- Documents
- Authors
- Tables !

text:(hidden AND timestamp AND column AND table) AND year:[1980 TO 2003]

Search

☐ Include Citations | [Advanced Search](#) | [Help](#)


Searching for text:(hidden AND timestamp AND column AND table) AND year:[1980 TO 2003] – sorted by Number of Citations


Order by: [Relevance](#) | [Year \(Descending\)](#) | [Year \(Ascending\)](#) | [Recency](#)


Try your query at: [Scholar](#) | [Yahoo!](#) | [Ask](#) | [Bing](#) | [CSB](#)





92 documents found, showing 1 through 10. [Next 10 →](#)





-  [*The Relative Importance of Concurrent Writers and Weak Consistency Models*](#)
- by Pete Keleher — 1996 — in Proceedings of the 16th International Conference on Distributed Computing Systems
- ... simultaneous writers. LRC was chosen as the consistency model because it allows false sharing to be *hidden* more...
- [Cited by 96 \(20 self\)](#) – [Add To MetaCart](#)


-  *Dynamic quorum adjustment for partitioned data*
- by Maurice Herlihy — 1987 — ACM Transactions on Database Systems
- ... “tripwire” mechanism. Each binding in an object’s quorum assignment *table* has a logical *timestamp*...
- Cited by 55 (2 self) – Add To MetaCart

-  *Invariant features for 3-D gesture recognition*
- by Lee W. Campbell, David A. Becker, Ali Azarbayejani, Aaron F. Bobick, Alex Pentland — 1996
- ... on ten different feature vectors derived from a single set of 18 T'ai Chi gestures listed in *Table 1*. We...
- Cited by 49 (10 self) – Add To MetaCart


-  *Constraint-Based Interoperability of Spatiotemporal Databases*
- by Jan Chomicki, Peter Z. Revesz — 1997 — Geoinformatica
- ... constraint layer may be completely *hidden* from the user. In this paper we study only data interoperability...
- Cited by 45 (6 self) – Add To MetaCart


-  *Mining Intrusion Detection Alarms for Actionable Knowledge*
- by Klaus Julisch, Marc Dacier — 2002 — In The 8th ACM International Conference on Knowledge Discovery and Data Mining
- ... requirements: Scalability: IDSs can trigger well over a million alarms per month (cf. the *column* “Max” of *Table*...
- Cited by 32 (1 self) – Add To MetaCart

-  *Multi-threading and Remote Latency in Software DSMs*
- by Kritchalach Thitikamol, Pete Keleher — 1997 — In Proceedings of the 17th International Conference on Distributed Computing Systems
- ... single remote access. This conclusion is supported by the Block Same Lock *column* in *Table 3*, which shows...
- Cited by 25 (1 self) – Add To MetaCart


-  *Dag Consistent Parallel Simulation: a Predictable and Robust Conservative Algorithm*
- by Wentong Cai, Emmanuelle Letertre, Stephen J. Turner — 1997 — In Proceedings of 11th Workshop on Parallel and Distributed Simulation (PADS'97
- ... by Logical Processes (LPs) that execute concurrently and communicate by exchanging *timestamped* events [12...


- [Cited by 24 \(11 self\)](#) – Add To MetaCart

-  [A Point-based Temporal Extension of SQL](#)
- by David Toman — 1997 — In International Conference on Deductive and Object-Oriented Databases
- ... the concrete interval-based encoding of *timestamps* which is *hidden* from the user. The approach is based...
- [Cited by 24 \(14 self\)](#) – Add To MetaCart

-  [Effective Web Data Extraction with Standard XML Technologies](#)
- by Jussi Myllymaki — 2001 — In Proceedings of the Tenth International World Wide Web Conference, Hong Kong
- ... and their absolute positions. For instance, an absolute path to the third *table*, first row, and second *column*...
- [Cited by 23 \(2 self\)](#) – Add To MetaCart

-  [Developing a DataBlade for a New Index](#)
- by Rasa Bliujute, Simonas Saltenis, Giedrius Slivinskas, Saltenis Giedrius, Slivinskas Christian, Christian S. Jensen — 1998
- ...-leaf node entry contains four *timestamps*, a flag "Rectangle," a flag "*Hidden*," and a pointer to a child node...
- [Cited by 22 \(3 self\)](#) – Add To MetaCart

 Showing 1 through 10. [Next 10](#) →



Try your query at: [Scholar](#) | [Yahoo!](#) | [Ask](#) | [MS Live](#) | [CSB](#)

[Home](#) | [Statistics](#) | [About CiteSeer^x](#) | [Bulletin](#) | [Submit Documents](#) | [Feedback](#) | [Privacy Policy](#) | [CiteSeer^x](#) | [Data](#) | [Source Code](#)

© 2007 [The Pennsylvania State University](#)

Developed at and hosted by [The College of Information Sciences and Technology](#) at Penn State

